

Salesforce Transaction Script

Recorder			Revised			Tip #
Command	Target	Value	Command	Target	Value	
open	/		open	/		
			waitForCondition	selenium.isElementPresent('//*[@id="username"]')	30000	1
			waitForCondition	selenium.isElementPresent('//*[@id="password"]')	30000	1
type	id=username	young@thousandeyes.com	type	//*[@id="username"]	young@thousandeyes.com	2
type	id=password	password	type	//*[@id="password"]	password	2
			waitForCondition	selenium.isElementPresent('//*[@id="Login"]')	30000	1
click	id=Login		click	//*[@id="Login"]		2
waitForPageToLoad		30000	waitForPageToLoad		30000	
			waitForCondition	selenium.isElementPresent('//*[@id="01aE00000007d9elmg"]')	30000	1
click	id=01aE00000007d9elmg		click	//*[@id="01aE00000007d9elmg"]		2
waitForPageToLoad		30000	waitForPageToLoad		30000	

waitForCondition	selenium.isElementPresent('id=report_Tab')	30000	waitForCondition	selenium.isElementPresent('//*[@@id="report_Tab"]/a')	30000	2
click	link=Reports		click	//*[@id="report_Tab"]/a		2
waitForPageToLoad		30000	waitForPageToLoad		30000	
waitForCondition	selenium.isElementPresent('id=ext-comp-1011')	30000	waitForCondition	selenium.isElementPresent('//span[text()="ACV Total Opportunities"]')	30000	2, 3, 4
waitForCondition	selenium.isElementPresent('id=ext-comp-1012')	30000				
waitForCondition	selenium.isElementPresent('id=ext-gen63')	30000				
...						
click	css=#000E00000022Ms2_NAME > div.nameFieldContainer.descr Container > a > span		click	//span[text()="ACV Total Opportunities"]		2, 4
waitForPageToLoad		30000	waitForPageToLoad		30000	
			waitForCondition	selenium.isElementPresent('//*[@@id="globalHeaderNameMink"]/span')	30000	1
click	css=#globalHeaderNameMink > span		click	//*[@id="globalHeaderNameMink"]/span		2
			waitForCondition	selenium.isElementPresent('//*[@@title="Logout"]')	30000	1
click	link=Logout		click	//*[@title="Logout"]		2
waitForPageToLoad		30000	waitForPageToLoad		30000	